

## Outbreak of Legionnaires' Disease in the Northern Portuguese Coast During the COVID-19 Pandemic

### Surto de Doença dos Legionários na Costa Norte de Portugal Durante a Pandemia da COVID-19

**Keywords:** COVID-19; Disease Outbreaks; Legionella pneumophila; Legionnaires' Disease; Portugal

**Palavras-chave:** COVID-19; Doença dos Legionários; Legionella pneumophila; Portugal; Surtos de Doenças

On the 3<sup>rd</sup> of November 2020, eight confirmed cases of Legionnaires' disease were admitted to Hospital Pedro Hispano, in Matosinhos. On the same day, the epidemiological investigation started, even though COVID-19 cases were spiking.

The case definition included both the criteria for confirmed case of Legionnaires' disease<sup>1</sup> and also the following epidemiological criteria: symptom onset after October 15<sup>th</sup>, and living, working or travelling frequently between Matosinhos and Vila do Conde since September 24<sup>th</sup>.

The number of cases and the geographical distribution suggested a common outdoor airborne exposure,<sup>2</sup> probably located between Matosinhos and Vila do Conde. Moreover, most cases rarely left their residence - not only because of the weather conditions and their decreased mobility, but also because of the fear of becoming infected with SARS-CoV-2. Between November 6<sup>th</sup> and November 17<sup>th</sup>, over eight different sources were inspected, and water samples collected. The municipal water management company (INDAQUA) was asked to carry out testing in the streets

with the highest number of cases, as well as in water deposits. Meteorological data was received from Instituto Português do Mar e Atmosfera (IPMA).

Three companies had cooling towers that tested positive for *Legionella spp.*, and one that tested positive for *Legionella pneumophila*, using the polymerase chain reaction (PCR) test. Twenty culture samples from patients grew *Legionella pneumophila*. The two sources that tested positive in the PCR test for *Legionella spp.* and *Legionella pneumophila* were ordered to close by the local health authorities (on November 12<sup>th</sup>). Summary statistics can be found in Table 1.

The outbreak had its peak on November 7<sup>th</sup> and was considered controlled by November 20<sup>th</sup>. Considering the incubation period of the disease and the date of closure of the probable source, cases associated with the outbreak could surge until the 3<sup>rd</sup> of December.

It took less than ten days from the detection of the outbreak to closure of the cooling tower that was likely to be responsible. The coordinated public health response helped preventing ongoing exposure and mitigated associated mortality and morbidity.

This investigation is the first description of a Legionnaires' disease outbreak during the COVID-19 pandemic. There were many challenges: the healthcare system was overburdened, with scarce resources and healthcare professionals strained, making the response slower. The clinical presentation of Legionnaires' disease overlaps with the clinical presentation of COVID-19, which can lead to a late diagnosis.

**Table 1** – Summary description of the key characteristics of the confirmed cases (n = 81)

Variable	Absolute frequency (categorical) or median (continuous)	Relative frequency (categorical) or interquartile range (continuous)
Sex (male)	54	66.7%
Age (years)	74	65 – 85
Case fatality rate	13	16.1%
Time between symptoms and confirmation (days)	4	3 – 6
COVID-19 coinfection	10	12.3%

## REFERENCES

- Direção-Geral da Saúde. Orientação n.º 021/2017 de 15/11/2017 – Doença dos legionários: vigilância e investigação epidemiológica. Lisboa: DGS; 2017.
- García-Fulgueiras A, Navarro C, Fenoll D, García J, González-Diego P, Jiménez-Buñuales T, et al. Legionnaires' disease outbreak in Murcia, Spain. Emerg Infect Dis. 2003;9:915-21.

Diogo Queiroz ALMEIDA<sup>✉1</sup>, Tomás SILVA<sup>1</sup>, Vanessa RODRIGUES<sup>2</sup>, Raquel LADEIRA<sup>2</sup>, Fátima SOUSA<sup>1</sup>, Rui CAPUCHO<sup>3</sup>, Gustavo DUARTE<sup>1</sup>

1. Matosinhos Public Health Unit. Matosinhos. Portugal.

2. Póvoa de Varzim/Vila do Conde Public Health Unit. Vila do Conde. Portugal.

3. Northern Regional Health Administration. Porto. Portugal.

Autor correspondente: Diogo Queiroz Almeida. [diogo.queiroz.almeida@gmail.com](mailto:diogo.queiroz.almeida@gmail.com)

Recebido: 28 de janeiro de 2021 - Aceite: 02 de fevereiro de 2021 - First published: 18 de fevereiro de 2021 - Online issue published: 01 de abril de 2021

Copyright © Ordem dos Médicos 2021

<https://doi.org/10.20344/amp.15823>

