## **Penile Cellulitis Related to Mpox Genital Lesions**

# Celulite Peniana Relacionada com Lesões Genitais de Mpox

Fernando OLIVEIRA E SILVA 1,2, António JOSÉ CRUZ1,2, João NUAK1,2 Acta Med Port 2024 Jan;37(1):51-52 • https://doi.org/10.20344/amp.19832

Keywords: Penile Diseases; Monkeypox virus; Monkeypox Palavras-chave: Doenças do Pénis; Varíola dos Macacos; Vírus da Varíola dos Macacos



Figure 1 - Penile edema related to papules with central umbilication and pustules in the genital area

A 40-year-old man presented to the emergency department with a five-day history of a genital papular rash. He had had unprotected sex with multiple male partners in the previous four weeks. A probable diagnosis of herpes simplex virus infection was assumed, and he was discharged with valacyclovir 1 g twice daily for seven days. However, four days later, he returned with an aggravation of his condition. The physical examination showed several lesions in the patient's genital area, upper and lower limbs at different stages of evolution, namely papules with central umbilication,



Figure 2 - Monkeypox lesions and penile edema leading to phimosis that required catheterization

pustules and edema of the penis (Fig. 1) with associated local pain. No fever was detected. Nucleic acid amplification tests for mpox virus were positive. In our institution, some cases of penile cellulitis related to mpox virus infection have been observed (Fig. 2), all with favorable evolution under antibiotic therapy, as the majority of the reported cases.1 In a scenario of penile cellulitis of unexplained cause, particularly in men that have sex with men, testing for mpox virus infection is recommended.2

- 1. Infectious Diseases Department. Centro Hospitalar Universitário de São João. Porto. Portugal.
- 2. Faculty of Medicine. Universidade do Porto. Porto. Portugal.
- Autor correspondente: Fernando Oliveira e Silva. fernandofreitas\_pt@hotmail.com

Recebido/Received: 27/02/2023 - Aceite/Accepted: 03/05/2023 - Publicado Online/Published Online: 05/06/2023 - Publicado/Published: 03/01/2024 Copyright © Ordem dos Médicos 2024



## **AUTHOR CONTRIBUTIONS**

FOS: Data acquisition, analysis and interpretation. Writing of the manuscript.

AJC, JN: Critical review and approval of the manuscript.

#### PROTECTION OF HUMANS AND ANIMALS

The authors declare that the procedures were followed according to the regulations established by the Clinical Research and Ethics Committee and to the Helsinki Declaration of the World Medical Association updated in 2013.

#### **DATA CONFIDENTIALITY**

The authors declare having followed the protocols in use at their working center regarding patients' data publication.

### **REFERENCES**

 Poole M, Mehrmal S, Kremer M, Guo AM, West DA. An atypical presentation of monkeypox associated with scrotal and penile shaft edema. JAAD Case Rep. 2023;33:36-8.

## **PATIENT CONSENT**

Obtained.

#### **COMPETING INTERESTS**

The authors have declared that no competing interests exist.

#### **FUNDING SOURCES**

This research received no specific grant from any funding agency in the public, commercial, or not-for-profit sectors.

 Thornhill JP, Barkati S, Walmsley S, Rockstroh J, Antinori A, Harrison LB, et al. Monkeypox virus infection in humans across 16 countries april-june 2022. N Engl J Med. 2022;387:679-91.